

Characterization Data Summary IHSS Group 700-3



DOCUMENT CLASSIFICATION REVIEW WAIVER PER CLASSIFICATION OFFICE

CEX-105-01

ADMIN RECORD

IA-A-001415

Characterization Data Summary IHSS Group 700-3

Approval received from the Colorado Department of Public Health and Environment

(
)

Approval letter contained in the Administrative Record

May 2003

TABLE OF CONTENTS

1.0 Introduction	1	
2.0 Site Characterization	1	
3.0 Deviations From Planned	Sampling Specifications	,
	13	
	LIST OF FIGURES	
Figure 1 IHSS Group 700 3 L	ocation Map2	
	Its Greater Than Background Mean Plus Two Standard	
	ting Limits5	
Deviations of Repor	ting Littles	
	LIST OF TABLES	
Table 1 IHSS Group 700-3 De		
	scription1	
Table 2 IHSS Group 700-3 Pro	scription	
Table 2 IHSS Group 700-3 Pro Table 3 IHSS Group 700-3 So	scription	,
Table 2 IHSS Group 700-3 Pro Table 3 IHSS Group 700-3 So Than Background M	scription	í
Table 2 IHSS Group 700-3 Pro Table 3 IHSS Group 700-3 So Than Background M Table 4 IHSS Group 700-3 Su	scription	·)
Table 2 IHSS Group 700-3 Pro Table 3 IHSS Group 700-3 So Than Background M Table 4 IHSS Group 700-3 Su Table 5 IHSS Group 700-3 Su	scription	· · · · · · · · · · · · · · · · · · ·
Table 2 IHSS Group 700-3 Pro Table 3 IHSS Group 700-3 So Than Background M Table 4 IHSS Group 700-3 Su Table 5 IHSS Group 700-3 Su Table 6 IHSS Group 700-3 Ra	scription	

ENCLOSURE

IHSS Group 700-3 Raw Data (Compact Disc)

ACRONYMS

AL action level

ASD Analytical Services Division

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

1,1-DCE 1,1 dichlorethene

DOE U.S. Department of Energy DQA Data Quality Assessment data quality objective

EPA U.S. Environmental Protection Agency

HPGe high-purity germanium

IA Industrial Area

IASAP Industrial Area Sampling and Analysis Plan IHSS Individual Hazardous Substance Site

K-H Kaiser-Hill Company, L.L.C. LCS laboratory control sample mg/kg milligrams per kilogram

MS matrix spike

MSD matrix spike duplicate

NA not applicable

PARCCS precision, accuracy, representativeness, completeness, comparability, and

sensitivity

pCi/g picocuries per gram
ppb part per billion
ppm part per million
QA quality assurance
QC quality control

RADMS Remedial Action Decision Management System RFETS Rocky Flats Environmental Technology Site

RIN report identification number

RL reporting limit

RPD relative percent difference

SD standard deviation

SOP standard operating procedure

SOR sum of ratios

SWD Soil Water Database

UBC underbuilding contamination μg/kg micrograms per kilogram VOC volatile organic compound V&V verification and validation

XRF x-ray fluorescence

1.0 INTRODUCTION

This Data Summary report summarizes initial characterization activities conducted at the request of Building 776/777 Decontamination and Decommissioning personnel at the Rocky Flats Environmental Technology Site (RFETS). Additional sampling will be required to make future environmental restoration action decisions. Under building contamination (UBC) for Buildings 776 and 777 is being addressed under Individual Hazardous Substance Site (IHSS) Group 700-3. Characterization activities conducted in accordance with the Industrial Area (IA) Sampling and Analysis Plan (IASAP) (DOE 2001) and IASAP Addendum #IA-02-08 (DOE 2002).

Sampling activities conducted in accordance with IASPAP Addendum # IA-02-08 include two UBC Sites, which are listed in Table 1 and shown on Figure 1. The remainder of IHSS Group 700-3 will be addressed in a separate IASAP Addendum.

No accelerated action decisions were made based on the data collected as part of this project. The subsurface soil risk screen and data quality assessment are not included in this report but these data, their quality, and their impact in the subsurface soil risk screen will be evaluated when additional IHSS Group 700-3 sampling in accordance with IASAP Addendum # IA-03-04 (DOE 2003) is completed.

Table 1
IHSS Group 700-3 Description

IHSS Group	IHSS/PAC/UBC Site
700-3	UBC 776 – Original Plutonium Foundry
	UBC 777 – General Plutonium Research and Development

2.0 SITE CHARACTERIZATION

Information for UBC Sites 776 and 777 consists of historical knowledge (DOE 1992-2001) and data obtained from five additional sampling locations. The sampling specifications are described in IASAP Addendum #IA-02-08 (DOE 2002) and are listed in Table 2. The locations of these samples and analytical results for Rocky Flasts Cleanup Agreement (RFCA)-regulated compounds greater than background mean plus two standard deviations or reporting limits (RL) are presented on Figure 2. A summary of the analytical results for surface soil is presented in Table 3. Summaries of the analytical results for surface and subsurface soil are presented in Tables 4 and 5. Radionuclide SORs are listed in Table 6 and deviations from planned sampling specifications are presented in Table 7. The raw data are enclosed on a compact disc.

Analytical results indicate that arsenic is above background and the RFCA Tier II action level (AL) at one location beneath Building 777. Additionally, 1,1-dichloroethene (1,1-DCE) was detected at concentrations exceeding the RFCA Tier II AL at two locations under Building 776. All other contaminant concentrations are less than RFCA Tier II ALs. No remedial action decisions are being made based on this initial data set.

Table 2
IHSS Group 700-3 Proposed Characterization Sampling Specifications

Offsite Laboratory Method		Alpha Spec	6010	8260	Alpha Spec	6010	8260	Alpha Spec	6010	8260	Alpha Spec	6010	8260	Alpha Spec	6010	8260	Alpha Spec
Onsite Method		HPGe	6200	8260	HPGe	6200	8260	HPGe	6200	8260	HPGe	6200	8260	HPGe	6200	8260	HPGe
Analyte		Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides
Depth Interval		0-0.5	0-0.5	0-0.5	0.5-2.5'	0.5-2.5'	0.5-2.5	0-0.5	0-0.5	0-0.5	0.5-2.5'	0.5-2.5'	0.5-2.5	0-0.5	0-0.5	0-0.5	0.5-2.5'
Media		Surface Soil	Surface Soil	Surface Soil	Subsurface Soil	Subsurface Soil	Subsurface Soil	Surface Soil	Surface Soil	Surface Soil	Subsurface Soil	Subsurface Soil	Subsurface Soil	Surface Soil	Surface Soil	Surface Soil	Subsurface Soil
Northing		750570.668	750570.668	750570.668	750570.668	750570.668	750570.668	750488.432	750488.432	750488.432	750488.432	750488.432	750488.432	750528.663	750528.663	750528.663	750528.663
Easting		2083675.523	2083675.523	2083675.523	2083675.523	2083675.523	2083675.523	2083787.340	2083787.340	2083787.340	2083787.340	2083787.340	2083787.340	2083886.142	2083886.142	2083886.142	2083886.142
Location Code		CE46-A000	CE46-A000	CE46-A000	CE46-B000	CE46-B000	CE46-B000	CF45-A000	CF45-A000	CF45-A000	CF45-B000	CF45-B000	CF45-B000	CF45-A001	CF45-A001	CF45-A001	CF45-B001
IHSS/PAC/UBC Site	UBC 776 – Original Plutonium Foundry and UBC 777 – General Plutonium Research and Development Biased locations based on process and historical information, including known release/spill sites and features of the building slab (e.g., construction joints and floor cracks where fire water may have migrated to the soil beneath the building).	Samples near tunnel in basement						Samples through joint in slab						Samples where first floor slab meets vertical wall for stairwell			
SS &	700-3									. , , ,				· · · · · · · · · · · · · · · · · · ·			



Offsite Laboratory Method	6010	8260	Alpha Spec	6010	8260	Alpha Spec	6010	8260	Alpha Spec	6010	8260	Alpha Spec	0109	8260	Alpha Spec	6010	8260	Alpha Spec	6010	8260
Onsite Method	6200	8260	HPGe	6200	8260	HPGe	6200	8260	HPGe	6200	8260	HPGe	6200	8260	HPGe	6200	8260	HPGe	6200	8260
Analyte	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs	Radionuclides	Metals	VOCs
Depth Interval	0.5-2.5	0.5-2.5	0-0.5	0-0.5	0-0.5	0.5-2.5	0.5-2.5'	0.5-2.5'	0-0.5	0-0.5	0-0.5	0.5-2.5'	0.5-2.5	0.5-2.5'	0-0.5	0-0.5	0-0.5	0.5-2.5'	0.5-2.5	0.5-2.5
Media	Subsurface Soil	Subsurface Soil	Surface Soil	Surface Soil	Surface Soil	Subsurface Soil	Subsurface Soil	Subsurface Soil	Surface Soil	Surface Soil	Surface Soil	Subsurface Soil	Subsurface Soil	Subsurface Soil	Surface Soil	Surface Soil	Surface Soil	Subsurface Soil	Subsurface Soil	Subsurface Soil
Northing	750528.663	750528.663	750547.003	750547.003	750547.003	750547.003	750547.003	750547.003	750559.427	750559.427	750559.427	750559.427	750559.427	750559.427	750379.573	750379.573	750379.573	750379.573	750379.573	750379.573
Easting	2083886.142	2083886.142	2083892.058	2083892.058	2083892.058	2083892.058	2083892.058	2083892.058	2084012.158	2084012.158	2084012.158	2084012.158	2084012.158	2084012.158	2083956.545	2083956.545	2083956.545	2083956.545	2083956.545	2083956.545
Location Code	CF45-B001	CF45-B001	CF45-A002	CF45-A002	CF45-A002	CF45-B002	CF45-B002	CF45-B002	CG45-A000	CG45-A000	CG45-A000	CG45-B000	CG45-B000	CG45-B000	CG45-A001	CG45-A001	CG45-A001	CG45-B001	CG45-B001	CG45-B001
IHSS/PAC/UBC Site			Samples under basement at Room 127	•				Samples where Tanks 1 and 2 leaked						Samples where Tanks 1103, 1104, and 1105 leaked						
Group						BH.				_										

IHSS Group 700-3 Soil Results With RFCA Action Levels and Results Greater Than Background Mean Plus Two Standard Deviations or Reporting Limits Table 3

Cuit	mg/kg	mg/kg	pCi/g	pCi/g	mg/kg	mg/kg	mg/kg	pCi/g	pCi/g	mg/kg	ug/kg	mg/kg	mg/kg	pCi/g	mg/kg	ug/kg	mg/kg	mg/kg	pCi/g	pCi/g	mg/kg	ug/kg	mg/kg	mg/kg	pCi/g	pCi/g
Background Mean+2SD	141.26	18.06	60.0	2.00	45.59	289.38	38.21	0.12	1.49	88.49	ΝΑ	141.26	54.62	2.00	45.59	ΥZ	289.38	38.21	0.12	1.49	88.49	AN	141.26	54.62	60.0	2.00
Tier II Action Level	133000	71100	24	103	13400	133000	71100	24	103	13400	7470	133000	1000	103	13400	21.9	133000	71100	24	103	13400	7470	133000	1000	24	103
Tier I Action Level	133000	71100	135	586	13400	133000	71100	113	506	13400	747000	133000	1000	586	13400	2190	133000	71100	113	506	13400	747000	133000	0001	135	586
Reporting Limit	150	300		8	100	150	300		8	100	6.7	150	20	8	100	6.1	150	300		8	001	6.2	150	20		8
Result	342	43.7	0.15	2	156	424	51.5	0.35	2.7	147	24.6	449	26	5.3	144	24.1	460	8.59	0.22	4.4	107	6.69	557	28.7	0.15	4.1
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	1.5	1.5	1.5	1.5	1.5	0.5	0.5	0.5	0.5	0.5	2.5	2.5	2.5	2.5	2.5	2.5	0.5	0.5	0.5	0.5	0.5
Depth Start (feet)		0	0	0	0	0.5	0.5	0.5	0.5	0.5	0	0	0	0	0	0.5	0.5	0.5	0.5	0.5	0.5	0	0	0	0	0
Analyte	Barium	Copper	Uranium-235	Uranium-238/Uranium-234	Vanadium	Barium	Copper	Uranium-235	Uranium-238/Uranium-234	Vanadium	I, I-Dichloroethene	Barium	Lead	Uranium-238/Uranium-234	Vanadium	1,1-Dichloroethene	Barium	Copper	Uranium-235	Uranium-238/Uranium-234	Vanadium	1,1-Dichloroethene	Barium	Lead	Uranium-235	Uranium-238/Uranium-234
Approximate Northing	750570.67	750570.67	750570.67	750570.67	750570.67	750570.67	750570.67	750570.67	750570.67	750570.67	750547	750547	750547	750547	750547	750547	750547	750547	750547	750547	750547	750543.22	750543.22	750543.22	750543.22	750543.22
Approximate Easting	2083675.52	2083675.52	2083675.52	2083675.52	2083675.52	2083675.52	2083675.52		2083675.52	2083675.52	2083892.06	2083892.06	2083892.06	2083892.06	2083892.06	2083892.06	2083892.06	2083892.06	2083892.06	2083892.06	2083892.06	2083879.01	2083879.01	2083879.01	2083879.01	2083879.01
Location	CE46-000	CE46-000	CE46-000	CE46-000	CE46-000	CE46-000	CE46-000	CE46-000 2083675.52	CE46-000	CE46-000	CF45-002	CF45-002	CF45-002	CF45-002	CF45-002	CF45-002		CF45-002	CF45-002	CF45-002	CF45-002	CF45-003	CF45-003	CF45-003	CF45-003	CF45-003
CBC	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776 (UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776 (UBC 776

ţ i	ug/kg	mg/kg	pCi/g	pCi/g	mg/kg	pCi/g	pCi/g	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	pCi/g	pCi/g	mg/kg	mg/kg	mg/kg	mg/kg	pCi/g	pCi/g						
Background Mean+2SD	NA	289.38 п	0.12 p	1.49 p	88.49 n	141.26 m	m 16.01	18.06	289.38 ш	29.04 m	38.21 m	0.12 p ^e	1.49 pt	m 60.01	141.26 m	m 16.01	18.06 m	54.62 m	0.09 pc	2.00 pt	45.59 m	289.38 m	29.04 m	38.21 m	0.12 pc	1.49 pt
Tier II Action Level	21.9	133000	24	103	13400	133000	115000	71100	133000	115000	71100	24	103	2.99	133000	115000	71100	1000	24	103	13400	133000	115000	71100	24	103
Tier I Action Level	2190	133000	113	506	13400	133000	115000	71100	133000	115000	71100	113	506	299	133000	115000	71100	1000	135	586	13400	133000	115000	71100	113	909
Reporting Limit	6.2	150			100	150	06	300	150	06	300			25	150	06	300	20			001	150	06	300		
Result	108.4	503	0.17	4.2	92.3	1. 698	249 9	45.4	915	116	52.9	0.2	4.6	13.3	825	249 9	79 3	27.9	0.17	1.8	98.7	804	122	50.1	0.15	2.1 8
Depth End (feet)	1.5	1.5	1.5	1.5	1.5	0.5	0.5	0.5	0.67	19.0	0.67	0.67	29.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.75	0.75	0.75	0.75	0.75
Depth Start (feet)	0.5	0.5	0.5	0.5	0.5	0	0	0	0.5	0.5	0.5	0.5	0.5	0	0	0	0	0	0	0	0	0.5	0.5	0.5	0.5	0.5
Analyte	1,1-Dichloroethene	Barium	Uranium-235	Uranium-238/Uranium-234	Vanadium	Barium	Cobalt	Copper	Barium	Cobalt	Copper	Uranium-235	Uranium-238/Uranium-234	Arsenic	Barium	Cobalt	Copper	Lead	Uranium-235	Uranium-238/Uranium-234	Vanadium	Barium	Cobalt	Copper	Uranium-235	Uranium-238/Uranium-234
Approximate Northing	750543.22	750543.22	750543.22	750543.22	750543.22	750559.43	750559.43	750559.43	750559.43	750559.43	750559.43	750559.43	750559.43	750379.57	750379.57	750379.57	750379.57	150379.57	750379.57	1 750379.57	750379.57	750379.57	750379.57	750379.57	750379.57	750379.57
Approximate Easting	2083879.01	2083879.01	2083879.01	2083879.01	2083879.01	2084012.16	2084012.16	2084012.16	2084012.16	2084012.16	2084012.16		2084012.16	2083956.55	2083956.55		2083956.55	2083956.55	2083956.55	2083956.55	2083956.55	2083956.55		2083956.55		
Location	CF45-003 2	CF45-003 2	CF45-003 2	CF45-003 2	CF45-003 2	CG45-000 2084012.16	CG45-000 2	CG45-001 2	CG45-001 2	CG45-001 2083956.55	CG45-001 2	CG45-001 2	CG45-001 2	CG45-001 2	CG45-001 2	CG45-001 2	CG45-001 2083956.55	CG45-001 2	CG45-001 2083956.55	CG45-001 2083956.55						
CBC	UBC 776	UBC 776	UBC 776	UBC 776	UBC 776	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777	UBC 777						

Table 4 IHSS Group 700-3 Summary of Analytical Results for Surface Soils

Analyte	Total Number of Samples	De Fre	Maximum Concentration	Average Unit	Tier I Action Level	Tier II Action Level	Background Mean+2SD
	Analyzed	(20)					
Antimony		0	0	0 mg/kg	292	768	NA A
Arsenic	5	80	13.3	7.07 mg/kg	299	2.99	10.09
Barium	\$	001	698	608.4 mg/kg	133000	133000	141.26
Cadmium	5	0	0	0 mg/kg	1920	1920	1.61
Chromium	S	100	43.6	35.02 mg/kg	44300	4410	16.99
Cobalt	5	40	249	99.6 mg/kg	115000	115000	16.01
Copper	5	001	62	45.46 mg/kg	71100	71100	18.06
Iron	5	100	35400	25300 mg/kg	576000	576000	18037.00
Lead	5	100	28.7	23.36 mg/kg	1000	1000	54.62
Manganese	5	80	516	283.8 mg/kg	83600	83600	365.08
Molybdenum	5	0	0	0 mg/kg	0196	0196	NA
Nickel	5	001	47.8	31.04 mg/kg	38400	38400	14.91
Selenium	5	0	0	0 mg/kg	0196	0196	1.22
Silver	5	0	0	0 mg/kg	0196	9610	N.A
Strontium	5	100	208	144.92 mg/kg	1000000	1000000	48.94
Tin	5	0	0	0 mg/kg	1000000	1000000	NA
Vanadium	5	100	156	110.36 mg/kg	13400	13400	45.59
Zinc	5	100	011	79.46 mg/kg	576000	576000	73.76
1,1,1-Trichloroethane	4	0	0.705	0.62 ug/kg	38400000	38400000	AN
1,1,2,2-Tetrachloroethane	4	0	0.62	0.54 ug/kg	2240000	22400	AN
1,1,2-Trichloroethane	4	0	0.595	0.52 ug/kg	31400000	78600	AN
1,1-Dichloroethane	4	25	2.36	1.00 ug/kg	192000000	192000000	AN
1,1-Dichloroethene	4	25	69.94	24.03 ug/kg	747000	7470	A N
1,2,4-Trichlorobenzene	4	0	0.62	0.55 ug/kg	19200000	19200000	٩Z
1,2-Dichloroethane	4	0	0.64	0.56 ug/kg	4930000	49300	NA
1,2-Dichlorobenzene	4	0	0.47	0.41 ug/kg	173000000	173000000	NA
1,2-Dichloropropane	4	0	55.0	0.48 ug/kg	0000659	00659	NA

Analyte	Total Number of Samples Analyzed	Detection Frequency (%)	Maximum Concentration	Аverage Concentration	Unit	Tier I Action Level	Tier II Action Level	Background Mean+2SD
,4-Dichlorobenzene	4	0	0.71	0.63	0.63 ug/kg	18700000	187000	NA
2-Butanone	4	0	6.4	2.68	5.68 ug/kg	1000000000	1000000000	NA
4-Methyl-2-Pentanone	4	0	4.33	3.84	3.84 ug/kg	154000000	154000000	NA
Acetone	4	25	13.18	7.49	7.49 ug/kg	192000000	192000000	NA
Benzene	4	0	0.52	0.46	0.46 ug/kg	15500000	155000	NA
Bromodichloromethane	4	0	0.4385		0.38 ug/kg	72300	72300	NA
Вготобогт	4	0	17.0	0.63	0.63 ug/kg	567000	567000	NA
Bromomethane	4	0	1.02	0.91 ug/kg	ıg/kg	2690000	2690000	NA
Carbon disulfide	4	0	1.765	1.57	1.57 ug/kg	192000000	192000000	NA
Carbon tetrachloride	4	0	0.75	0.665 ug/kg	ıg/kg	3450000	34500	NA
Chlorobenzene	4	0	0.63	0.56 ug/kg	ıg/kg	38400000	38400000	NA
Chloroethane	4	0	2.49	2.21	2.21 ug/kg	155000000	1550000	AN
Chloroform	4	0	0.57	0.51 ug/kg	ıg/kg	73500000	735000	NA
Chloromethane	4	0	0.895	0.79 ug/kg	ıg/kg	34500000	345000	AZ
Dibromochloromethane	4	0	0.465	0.41 ug/kg	ıg/kg	5340000	53400	NA
Ethylbenzene	4	0	89:0	09:0	0.60 ug/kg	192000000	192000000	NA
Hexachlorobutadiene	4	0	0.79	0.70 ug/kg	ıg/kg	5750000	57500	A'A
Methylene chloride	4	0	17.0	0.63	0.63 ug/kg	239000000	298000	NA
Naphthalene	4	0	0.525	0.47	0.47 ug/kg	76800000	76800000	AN
Styrene	4	0	0.665	0.59	0.59 ug/kg	384000000	384000000	NA
Trichloroethene	4	0	0.423	0.38	0.38 ug/kg	163000000	407000	AZ
Tetrachloroethene	4	0	0.81	0.72	0.72 ug/kg	8620000	86200	AN
Toluene	4	0	0.84	0.74 ug/kg	ıg/kg	384000000	384000000	NA
Trans-1,3-Dichloropropene	4	0	0.595	0.53	0.53 ug/kg	2490000	24900	AX
Vinyl chloride	4	0	1.875	1.66	1.66 ug/kg	236000	2360	NA
Xylenes (total)	4	0	1.665	1.48	.48 ug/kg	10000000000	1000000000	NA
Americium-241	5	0	0	0	0 pCi/g	215	38	0.02
Uranium-235	5	09	0.085	0.05 pCi/g	Ci/g	135	24	0.09
Uranium-238	5	100	2.65	1.42	1.42 pCi/g	586	103	2.00

Table 5
IHSS Group 700-3 Summary of Analytical Results for Subsurface Soils

Antimony 5 Arsenic 5 Barium 5 Cadmium 5 Chromium 5 Copper 5 Iron 5 Lead 5 Manganese 5 Molybdenum 5 Nickel 5 Selenium 5 Silver 5 Strontium 5	90 80 100 100 100 100 100 100	12.7 915 0 0 44.5 122 65.8 65.8 31900 23.1 23.1 41.3	0 mg/kg 7.39 mg/kg 621.2 mg/kg 0 mg/kg 37.14 mg/kg 47.6 mg/kg 49.88 mg/kg 19.58 mg/kg		768	768	
m um ese ese enum n	100 100 100 100 100 100 100	12.7 915 0 0 44.5 122 65.8 31900 23.1 23.1 64.3	7.39 mg 621.2 mg 7.39 mg 37.14 mg 47.6 mg 49.88 mg 25520 mg 19.58 mg				16.97
m um ese enum n	100 100 100 100 100 100	915 0 0 44.5 122 65.8 31900 31900 23.1 522 522	621.2 mg 0 mg 37.14 mg 47.6 mg 49.88 mg 25520 mg 19.58 mg		299	2.99	13.14
um ese enum n m	100 100 100 100 0 0 0	44.5 122 122 65.8 65.8 31900 23.1 522 522 41.3	0 mg 37.14 mg 47.6 mg 49.88 mg 25520 mg 19.58 mg		133000	133000	289.38
ese enum	100 100 100 100 0 0	44.5 122 65.8 31900 23.1 522 0 0	37.14 mg 47.6 mg 49.88 mg 25520 mg 19.58 mg		1920	1920	1.7
ese enum	100 100 100 40 0 0	65.8 31900 31900 23.1 522 641.3	47.6 mg 49.88 mg 25520 mg 19.58 mg 188.2 mg		44300	4410	68.27
ese enum n	100 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	522 522 641.3	49.88 mg 25520 mg 19.58 mg 188.2 mg		115000	115000	29.04
denum see	100	31900 23.1 522 522 0 0	25520 mg 19.58 mg 188.2 mg		71100	71100	38.21
denum Lim Lim	100	23.1 522 0 0	19.58 mg 188.2 mg		9200925	576000	41046.52
denum Jum um	40 0 100	522 0	188.2 mg		1000	1000	24.97
denum um um	0 100	0 41.3			83600	83600	901.62
mn mn	100	41.3	am o	0 mg/kg	9610	0196	25.61
un un		_	31.04 mg/kg		38400	38400	62.21
un		0	0 mg/kg		0196	9610	4.8
	0	0	0 mg/kg		0196	9610	24.54
	100	195	139.1 mg/kg		1000000	0000001	211.38
Tin	40	5.14	1.89 mg/kg		1000000	1000000	286.31
Vanadium 5	100	147	98.16 mg/kg		13400	13400	88.49
Zinc 5	100	91.2	76.48 mg/kg		576000	576000	139.1
1,1,1-Trichloroethane 4	0	9.65	0.61 ug/kg		94800	948	NA
1,1,2,2-Tetrachloroethane 4	0	0.575	0.54 ug/kg		168	1.68	NA
1,1,2-Trichloroethane 4	0	0.555	0.52 ug/kg		1230	12.3	NA
1,1-Dichloroethane 4	25	3.0	1.14 ug/kg		000689	0689	ベス
1,1-Dichloroethene 4	50	108.41	33.52 ug/kg		2190	21.9	NA
1,2,4-Trichlorobenzene 4	0	0.575	0.54 ug/kg		433000	4330	NA
1,2-Dichloroethane 4	0	0.595	0.56 ug/kg		899	89.9	NA
1,2-Dichlorobenzene 4	0	0.4355	0.41 ug/kg		1320000	13200	NA
1,2-Dichloropropane 4	0	0.51	0.48 ug/kg		1130	11.3	NA

Analyte	Total Number Samples Analyzed	Detection Frequency (%)	Maximum Concentration	Average Concentration	Unit	Tier I Action Level	Tier II Action Level	Background Mean+2SD
1,4-Dichlorobenzene	4	0	99:0	0.62 ug/kg	ρū	165000	0591	NA
Acetone	4	50	17.07	10.02 ug/kg	50	27200000	272000	N.A.
Benzene	4	0	0.485	0.45 ug/kg	50	1410	14.1	Y.A
Bromodichloromethane	4	0	0.4065	0.38 ug/kg	8	26400	264	Y.A
Bromoform	4	0	99:0	0.62 ug/kg	50	37200	372	NA
Bromomethane	4	0	0.95	0.89 ug/kg	ಟ	5980	59.8	NA
Carbon disulfide	4	0	1.64	1.539 ug/kg	tú	000886	0880	N.A.
Carbon tetrachloride	4	0	0.695	0.66 ug/kg	ಹ	3560	35.6	AN
Chlorobenzene	4	0	0.585	0.56 ug/kg	50	83000	830	NA
Chloroform	4	0	0.53	0.49 ug/kg	50	21400	214	NA
Ethylbenzene	4	0	0.63	0.59 ug/kg	ಶ	932000	9320	NA
Hexachlorobutadiene	4	0	0.735	0.69 ug/kg	ಶ್	201000	2010	NA
Methylene chloride	4	0	0.665	0.62 ug/kg	50	578	5.78	NA A
Naphthalene	4	0	0.4885	0.46 ug/kg	pD.	10100000	000101	NA
Styrene	4	0	0.62	0.58 ug/kg	50	274000	2740	NA
Trichloroethene	4	0	0.3925	0.37 ug/kg	5	3280	32.8	NA
Tetrachloroethene	4	0	0.75	0.70 ug/kg	50	3150	31.5	NA
Toluene	4	0	0.775	0.73 ug/kg	50	707000	7070	NA
Trans-1,3-Dichloropropene	4	0	0.555	0.52 ug/kg	ත	120	1.2	NA
Vinyl chloride	4	0	1.735	1.63 ug/kg	50	346	3.46	NA
Xylenes (total)	4	0	1.545	1.45 ug/kg	50	9740000	97400	NA
Americium-241	5	0	0	0 pCi/g	50	209	38	0.02
Uranium-235	5	100	0.175	0.11 pCi/g	8	113	24	0.12
Uranium-238	5	100	2.3	1.8 pCi/g	50	909	103	1.49

Table 6
IHSS Group 700-3 Radionuclide Sum of Ratios

Location	Beginning Depth (ft)	Ending Depth (ft)	Tier I SOR	Tier II SOR
CG45-001	0	0.5	0.0054	0.0304
CG45-001	0.5	0.75	0.0067	0.0335
CG45-000	0.5	0.67	0.0135	0.0680
CF45-003	0	0.5	0.0105	0.0594
CF45-003	0.5	1.5	0.0122	0.0615
CF45-002	0	0.5	0.0121	0.0687
CF45-002	0.5	2.5	0.0132	0.0662
CE46-000	0	0.5	0.0057	0.0322
CE46-000	0.5	1.5	0.0100	0.0496

3.0 DEVIATIONS FROM PLANNED SAMPLING SPECIFICATIONS

Deviations from the planned sampling specifications described in IASAP Addendum #IA-02-08 (DOE 2002) are presented in Table 7.

Table 7
IHSS Group 700-3 Deviations From Planned Sampling Specifications

Location Code	Comments
All	Sampling locations not surveyed due to building walls, structures, various obstructions, etc. Approximate locations provided.
CE46-000	Sample interval 0.5 - 2.5 feet terminated at 1.5 feet due to auger refusal. VOC samples not collected from 0 - 0.5 or 0.5 -1.5 foot intervals.
CF45-000	No samples collected due to refusal.
CF45-001	No samples collected due to refusal.
CF45-002	Sample interval 0.5 -2.5 feet terminated at 1.5 feet due to auger refusal.
CF45-003	Location added by Building 776/777 personnel.
CG45-000	Sample interval 0.5 -2.5 feet terminated at 0.67 foot due to auger refusal.
CG45-001	Sample interval 0.5 -2.5 feet terminated at 0.75 foot due to auger refusal.

4.0 REFERENCES

DOE, 1992-2001, Historical Release Reports for the Rocky Flats Plant, Rocky Flats Plant, Golden, Colorado.

DOE, 1999, Order 414.1A, Quality Assurance.

DOE, 2000, Rocky Flats Cleanup Agreement, Attachment 5, March.

DOE, 2001, Industrial Area Sampling and Analysis Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, June.

DOE, 2002, Industrial Area Sampling and Analysis Plan Addendum #IA-02-08, Rocky Flats Environmental Technology Site, Golden, Colorado, August.

DOE, 2003, Industrial Area Sampling and Analysis Plan Addendum #IA-03-04, Rocky Flats Environmental Technology Site, Golden, Colorado, May.

EPA, 1994a, Guidance for the Data Quality Objective Process. QA/G-4.

EPA, 1994b, USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review. 540/R-94/012.

EPA, 1994c, USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review. 540/R-94/013.

EPA, 1998, Guidance for the Data Quality Assessment Process; Practical Methods for Data Analysis. QA/G-9.

KH, 1997a, General Guidelines for Data Verification and Validation, DA-GR01-v1, December.

K-H, 1997b, V&V Guidelines for Volatile Organics, DA-SS01-v1, December.

K-H, 1997c V&V Guidelines for Metals, DA-SS05-v1, December.

Lockheed-Martin, 1997, Evaluation of Radiochemical Data Usability, ES/ER/MS-5.

ENCLOSURE IHSS GROUP 700-3 RAW DATA





